CUMULATIVE INDEX: VOLUME 5

SUBJECT INDEX

ABB caloric test, *6*, 441
ABR audiometry, *3*, 201, 233–234
Acoustic reflex response with transient facial palsy, *5*, 355–359
  case report, *5*, 355–357
  discussion, *5*, 357–358
Acoustic reflex testing, *3*, 234
Acoustic tumor management, *2*, 87–107
  conclusions, *2*, 107
  discussion, *2*, 103–107
  historical background, *2*, 87–91
  materials, *2*, 97–98
  methods, *2*, 91–97
  results, *2*, 98–103
Acoustic tumors, *1*, 20–33. *See also* Specific tumors
  audiometric findings, comparison of, *1*, 25–29
  basic research, *3*, 239
  book review, *3*, 240
  complications of surgery, *3*, 239–240
  current investigation, *1*, 21–22
  diagnosis, *3*, 233–235
  discussion, *1*, 29–32
  evaluation for possible, *1*, 70
  facial nerve preservation and repair, *3*, 238
  histopathology, *3*, 235–236
  instrumentation, *3*, 239
  material and results, *1*, 22–25
  miscellaneous topics, *3*, 240
  nonacoustic cerebellopontine angle tumors, *3*, 238–239
  previous investigations, *1*, 21
  slow growth of, *1*, 70
  surgery for elderly, *1*, 71
  surgical approaches to, *1*, 71–72; *3*, 236–237
  tinnitus and, *1*, 61; *5*, 415–416
  von Recklinghausen's disease and bilateral tumors, *3*, 238
Acoustic tumors in developing countries, *5*, 360–364
Adenoidectomy, *5*, 348
Aging, sensorineural hearing loss and, *4*, 311
Allergy-related serous otitis, management of, *6*, 463–467
  associated signs and symptoms characteristic of infants and toddlers, *6*, 464–465
  determining probable etiologic agent, *6*, 465–467
  nonresponding patients, *6*, 467
  recognition of allergic patient, *6*, 463–464
  summary, *6*, 467
Allergy testing, *6*, 450–458
  chemical allergy, *6*, 453
  educating patient about foods and chemicals, *6*, 453–455
  food allergy, *6*, 451–453
  inhalant allergy, *6*, 450–451
  rotary diversified diet therapy, *6*, 453
Alport's disease, *3*, 178
Alternate binaural bitherma! (ABB) caloric test, *6*, 441
Anastomosis, facial nerve, in cerebellopontine angle, *4*, 269–272
  conclusions, *4*, 271
  discussion, *4*, 271
  patient population, *4*, 269
  results, *4*, 270
  technique, *4*, 270
Anesthesia
  labyrinthine membrane rupture (LMR) from, *4*, 308–310
  CO_2 laser surgery, *2*, 92–98
Animal models of hydrops, *2*, 138–139
Aplasia, minor, *3*, 214–215
Atelectasis, *6*, 469
Atretic ear, primary cholesteatoma in, *4*, 283–285; *5*, 368
  case report, *4*, 283–284
  conclusion, *4*, 284–285
  discussion, *4*, 238–284
Audiology, contemporary office, *6*, 438–439
Auditory assessments, *2*, 144–145
Auditory brain stem response (ABR) audiometry, *3*, 201, 233–234
Auditory canal, external hemangioma of, *2*, 125–126
  surgical correction of, *1*, 73–75
Auditory evoked potentials as indicator of endolymphatic hydrops, *6*, 443–446
Autoimmune disease, tests for, *6*, 447–449
  leukocyte migration inhibition test procedure, *6*, 447–448
  materials and reagents, *6*, 449
  preparation of inner ear membrane antigen and control antigen, *6*, 448–449
Autoimmune polyneuritis, treatment of, *6*, 501
Autologous tissue glue, concentrated (CATG), *5*, 424–425
Autosclerosis, *2*, 124
Autosomal dominant inheritance, *3*, 212. *See also* Otospongiosis as genetic disease
Autosomal recessive inheritance, *3*, 212

Basilar artery, dizziness from deviated, *3*, 253
Bell's palsy
  in physician, *4*, 335–336
  recovery ratio, *3*, 223
  recurrent, *5*, 421
  surgery in pregnant women in third trimester, *2*, 164
  surgical management of, *5*, 422
Bell's palsy, indications for surgery for, *5*, 503–512
  diagnostic exploration, *5*, 504–511
  discussion, *5*, 511
  materials and methods, *5*, 503–504
  surgical rehabilitation, *5*, 511
Bell's palsy, prognostic value of electrical tests, *1*, 1–7
  anticipated results of electrical tests, *1*, 3
  comments, *1*, 7
  discussion, *1*, 6
  materials and methods, *1*, 2–3
  results, *1*, 3–6
Bilateral congenital ear abnormalities, *2*, 155
Biofeedback treatment for tinnitus, *6*, 472
Blepharospasm-oromandibular dystonia misdiagnosed, *3*, 206–210
  case report, *3*, 206–208
  conclusion, *3*, 209–210
  dystonia syndromes, *3*, 208–209
  etiology of, *3*, 209
  treatment of, *3*, 209
Blocking, early, *5*, 495
Book reviews
  Anatomy for Surgeons. Volume 1: The Head and Neck, *1*, 84
  Cerebral Palsy, Remediation of Communica-

tion Disorders Series, *3*, 261
Clinical Neurophysiology of the Vestibular System, *2*, 167
Clinical Neurotology, *5*, 423
Disorders of the Ear: Diagnosis and Management, *3*, 261
Ear, Nose and Throat Disorders, 2nd ed., *2*, 166
Genetics and Otology, *2*, 166
Jamieson's Illustrations of Regional Anatomy, Section II, Head and Neck, 10th ed., *2*, 166
Language Disorders in Preschool Children, *4*, 337
1982 Yearbook of Otolaryngology, *2*, 167
Otolaryngology, *2*, 166–167
Pediatric Otolaryngology: New Directions in Therapy, *2*, 166
Radiology of the Ear, Nose and Throat, *2*, 167–168
Updated ENT, *2*, 167

Canals, semicircular, stimulation of, *3*, 255
Carbon inhalation, *6*, 490–491
Carcinoma. *See also* Acoustic tumors; Neuroma, traumatic intratympanic facial
of middle ear, radiation induced, *1*, 8–10
of temporal bone, *1*, 56–61
Carotid-vertebral artery disease, *5*, 399–401
CATG, *5*, 424–425
Cerebellopontine angle (CPA) tumors, *2*, 87–108; *3*, 238–239
in developing countries, *5*, 360–364
discussion, *2*, 103–107
historical background, *2*, 87–91
management methods, *2*, 91–97
materials, *2*, 97–98
nonacoustic, *3*, 238–239
results, *2*, 98–103
Cerebral radionuclide angiogram (CRAG), *5*, 397–398
Cerebrospinal fluid leakage, *2*, 90, 107. *See also* Dural defects closure with Protoplast
Cerebrospinal fluid leakage after mastoid surgery, *4*, 317–323
case report, *4*, 317–319
hydrocephalus, *4*, 321–322
meningitis, *4*, 320
otorrhea, *4*, 319–320
pneumocephalus, *4*, 320–321
Chemical allergy, *6*, 453
Children, sensorineural hearing loss in, *4*, 311; *5*, 339–343
Cholesteatoma, *6*, 470
morphology of embryonic stages of, *3*, 224–26
removal by closed tympanoplasty, *4*, 277–282
residual, in middle cranial fossa, *3*, 227–228; *4*, 278–279
of tympanic membrane, *3*, 175–178
Cholesteatoma, congenital, of middle ear, *4*, 283–285; *5*, 368–373
classification of cholesteatoma, *5*, 368–369
historical notes, *5*, 369
methods and materials, *5*, 369–371
results, *5*, 371
Cholesterol granuloma of petrous apex, *3*, 253–254
Circulatory disorder in sudden hearing loss, *5*, 488–491
Clicking, *3*, 189
Cochlea, tinnitus and artery in apical region of, *3*, 262
Cochlear aqueduct, *2*, 141
Cochlear endolymphatic shunt, *6*, 546–548
Cochlear fluids, *2*, 142
Cochlear implant, *4*, 312
facial nerve and, *6*, 524–525
piezoelectric ceramic bimorph element (PCBE) application to, *4*, 273–276
for total binaural deafness, indications for and results of, *6*, 520–523
Cochlear Implant Coinvestigator Program, *4*, 316
Cochleoendolymphatic shunt, *6*, 538
Cockayne syndrome, audiologic and temporal bone analysis, *4*, 300–307
case reports, *4*, 301–305
discussion, *4*, 305–307
Combined approach surgery with CO_2 laser for acoustic tumor management, *2*, 87–107
conclusions, *2*, 107
discussion, *2*, 103–107
historical background, *2*, 87–91
materials, *2*, 97–98
methods, *2*, 91–97
results, *2*, 98–103
Computed tomography (CT) dynamic scan, *5*, 398
Computerized cranial tomography (CCT), *3*, 235
Concentrated autologous tissue glue (CATG), *5*, 424–425
Conduction tests, *1*, 2, 5
Cordless telephones, hazards of, *5*, 416–417
Corticosteroid therapy, *6*, 481–482
CPA tumors, *see* Cerebellopontine angle (CPA) tumors
CRAG, *5*, 397–398
Cranial cervical mandibular syndrome, *3*, 183
Cranial fossa
fossa, cholesteatoma in, *3*, 227–228; *4*, 278–279
MRI of posterior, *6*, 436–437
Cranial nerve, eighth, hearing impairment and function of, *1*, 20–33
audiometric findings in three patient categories, *1*, 25–29
current investigations, *1*, 21–22
discussion, *1*, 29–32
materials and results, *1*, 22–25
previous investigations, *1*, 21
Cranial polyneuritis, *see* Bell's palsy; Bell's palsy, indications for surgery for; Bell's palsy, prognostic value of electrical tests
Crepitus, *3*, 189
Cryosurgery, *2*, 149–150
CT densitometry of cochlear capsules in otosclerosis, *6*, 434–436
Cytotoxic food test, *6*, 542

Denervation, end point of, *6*, 495
Developing countries, acoustic tumors in, *5*, 360–364
Diet, elimination, *5*, 452
Dilantin, use of, *2*, 160
Diuretics for fluctuant hearing loss in Meniere's disease
oral, *6*, 530
osmotic, *6*, 531–532
Dizziness from deviated basilar artery, *3*, 253
Doctors' discussion, *1*, 70–72; *2*, 159–160, *3*, 253–255; *4*, 315–316; *5*, 415–417
Duke Univeristy Otolaryngology training program, *5*, 418–420
Dural defects closure with Proplast, *3*, 179–182
Dyskinesia, orofacial, *see* Meige's syndrome misdiagnosed
Dystonia, blepharospasm-oromandibular, misdiagnosis of, *3*, 206–210
Dystonia syndromes, *3*, 208–209. *See also* Meige's syndrome misdiagnosed

Ear abnormalities, congential, *2*, 155
Ear drainage, unresolved, *5*, 417
Elderly, acoustic tumor surgery for, *1*, 71
Electrical stimulation for relief of tinnitus, *6*, 473–474
Electrical tests, prognostic value of, for Bell's palsy, *1*, 1–7
Electrocochleography, *3*, 234
Electromyography, *1*, 3, 5
Electroneurography (ENoG), *1*, 1–7; *6*, 494–498
anticipated results of, *1*, 2
discussion, *1*, 6
materials and methods, *1*, 2–3
results, *1*, 3–6
Electron microscopy, scanning, human vestibular organs observed by, *1*, 11–15
Elimination diets, *6*, 452
Endolymph, *6*, 526
Endolymphatic hydrops
animals models of, *2*, 138–139
auditory evoked potentials as indicator of, *6*, 443–446
classification of, *6*, 528
human temporal bone, *2*, 139–140
Endolymphatic sac, *2*, 140
shunt surgery, placebo effect on, *6*, 558–561
surgical procedures, *2*, 148–149
Endolymphatic shunt, cochlear, *6*, 544–548
Eustachian tube, abnormal patency of, *6*, 469
Evoked electromyography (EEMG), *1*, 1–7; *6*, 494–498
anticipated results of, *1*, 2
discussion, *1*, 6
materials and methods, *1*, 2–3
results, *1*, 3–6
External auditory canal, correction of collapsed, *1*, 73–75
audiometric data, *1*, 73–74
case report, *1*, 73
surgical method, *1*, 74–75
treatment modalities, *1*, 74

Facial function evaluation, *1*, 3
Facial nerve
anatomosis, in cerebellopontine angle tumor, *4*, 269–272
Bell's palsy, *see* Bell's palsy
bilateral skull fracture, dead ear on the right, conductive hearing loss on the left with complete facial paralysis, *3*, 259
cochlear implant and, *6*, 524–525
electrical stimulation testing, reliability of, *1*, 83
facial paralysis, persistent, after mastoid surgery, *5*, 421–422
facial twitching, *1*, 82–83
herniation of, in transtympanic

segment, *3*, 259–260
post-otitis media with facial paralysis, complete loss of electrical response, and no recovery of facial function, *2*, 163–164
preservation and repair, *3*, 238
uptake and transport of exogenous macromolecules to, *2*, 120–124
Facial paralysis
acoustic reflex response with transient, *5*, 355–359
congenital, *3*, 223
current medical treatment of, *6*, 499–502
electrical tests of, prognostic value of, *6*, 494–498
facial nerve neuroma and, *3*, 254–255
familial recurrence, *3*, 254–255
iatrogenic, prevention and management of, *6*, 513–514
new concepts in management of, *6*, 516–519
Fasting, *6*, 452
Fellowship training within academic otolaryngology department, *3*, 229–232
present conditions in academic programs and private practice, *3*, 229–230
requirements, *3*, 230–231
staffing dilemmas, *3*, 231–232
Fistula, perilymphatic (PLF), *1*, 55; *2*, 109–111; *4*, 338; *5*, 415
closing of, *1*, 61
demonstration of, *2*, 124
discussion, *2*, 111–112
early medical care of, *1*, 78
method, *2*, 109
results, *2*, 109–111
surgical care of, *1*, 78
treatment of, *2*, 168
Fluctuant hearing loss in Meniere's disease, *6*, 529–533
current recommendations, *6*, 532
diuretic treatment, *6*, 530–532
hearing in course of disease, *6*, 530
pressure chamber treatment, *6*, 532
temporal bone characteristics, *6*, 529–530
vasodilator treatment, *6*, 532
Food allergy, *6*, 451–453
Forum, *1*, 85. *See also* Residents' forum
concentrated autologous tissue glue (CATG), *5*, 424–425
tinnitus, low-tone pulsatile, *3*, 262
Fusion at inferred threshold (FIT) test, *1*, 34–39

Glomus jugulare, recurrent, *4*, 315
Glomus jugulare tumor, metastatic, *3*, 197–200
Glomus jugulare tumor surgery, intracranial hypertension complicating, *5*, 350–354
Glycerol test, temporary hearing loss after salt loading in, *1*, 16–19
Guinea pig, morphology of embryonic stages of cholesteatoma in, *3*, 224–226
discussion, *3*, 225–226
histologic findings, *3*, 224–225
materials and methods, *3*, 224

Harmonic acceleration (HA) rotation testing, *6*, 441
Hearing aids, *6*, 473
Hearing impairment, congenitally mixed, *5*, 416
Hearing loss
autoimmune, *1*, 72
conductive, *5*, 387–391
fluctuant, in Meniere's disease, *6*, 529–533
fluctuant, therapy for, *6*, 564–565
in neonatal intensive care unit population, identification of, *3*, 201–205
temporary, after salt loading in glycerol test, *1*, 16–19
Hearing loss, functional, presenting as sudden hearing loss, *5*, 407–410
discussion, *5*, 408–410
history, *5*, 407–408
Hearing loss, sensorineural, *4*, 311–314
abnormalities co-occurring with, *3*, 223
aging and presbycusis, *4*, 311
childhood, *4*, 311
cochlear implants, *4*, 312
delayed, nongenetic disorders causing, *3*, 178
diagnosis, *4*, 312
noise, *4*, 311
other types of, *4*, 311–312
rehabilitation and hearing aids, *4*, 312
secondary to cordless telephone, *5*, 416–417
treatment, *4*, 312
Hearing loss, sensorineural, in infants and children, *5*, 339–343
conclusions, *5*, 342–343
discussion, *5*, 341–342
methodologic considerations, *5*, 340
results, *5*, 340–341
Hearing loss, sudden, *5*, 407
circulatory disorder in, *6*, 488–491
from membrane rupture, *6*, 484–487
tinnitus and, *6*, 492–493
treatment of, *6*, 481–483
unilateral, *1*, 61
Hemangioma of external auditory canal, *2*, 125–126
case report, *2*, 125
summary, *2*, 125
Hemotympanum, idiopathic, *6*, 469
History, otology, *1*, 76–78
Horseradish peroxidase (HRP), *2*, 120
Human temporal bone hydrops, *2*, 139–140
Hydrocephalus, *4*, 321–322
Hydrops, endolymphatic
animal models of, *2*, 138–139
classification of, *6*, 528
human temporal bone, *2*, 139–140
Hydrops, endolymphatic, summating potential as indicator of, *6*, 443–446
methods, *6*, 443
results, *6*, 443–445
summary and conclusions, *6*, 445–446
Hyoid bone tenderness, *3*, 190
Hypersensitivity, IgE mediated, serous otitis and, *1*, 66–69
materials and methods, *1*, 66–67
results, *1*, 67–59

Imaging tests, *6*, 434–437
CT densitometry of cochlear capsules in otosclerosis, *6*, 434–436
MRI of posterior cranial fossa, *6*, 436–437
vascular loop, *6*, 434
Individual deliberate feeding test, *6*, 452
Infants, sensorineural hearing loss in, *5*, 339–343
Inhalant allergy, *6*, 450–451
Inheritance, X-linked, *3*, 212
Intracranial hypertension complicating glomus tumor surgery, *5*, 350–354
case history, *5*, 350–351
editorial comment, *5*, 353
Intraoperative monitoring, *3*, 234
Irradiation, ultrasonic, *2*, 149–150
Ischemia, diagnosis of brain, *5*, 397–406
case reports of hindbrain ischemia, *5*, 399–402
conclusion, *5*, 402–404

Jugular bulb, *2*, 155

Keratoma, *3*, 175–178
case reports, *3*, 175–176
discussion, *3*, 173–177
Klippel-Feil syndrome and associated ear deformities, *2*, 113–119
discussion, *2*, 117–119
historical review, *2*, 113–114
report of cases, *2*, 114–116
Kowa camera, *4*, 329

Labyrinthectomy, transcanal and translabyrinthine, *6*, 537–540
Labyrinthectomy, transmastoid, *4*, 295–299
discussion, *4*, 298–299
indications and preoperative assessment, *4*, 296
postoperative course, *4*, 297
results, *4*, 297–298
surgical technique, *4*, 296–297
Labyrinthine membrane rupture (LMR) from anesthesia, *4*, 308–310
Leukocyte migration inhibition test, *6*, 447–448
Lidocaine, *6*, 477
Lobstein's disease, *3*, 214
Lop auricles, malformed thickened, *5*, 387–391

Macromolecules, uptake and transport of exogenous, *2*, 120–124
editorial comment, *2*, 123
materials and methods, *2*, 120–121
results, *2*, 121–122
Maculae, ultricular and saccular, development of, *1*, 12–15, 44–55
comments, *1*, 54–55
discussion, *1*, 48–52
findings, *1*, 45–48
materials and methods, *1*, 44–45
Masking of tinnitus, *2*, 155
Masking dilemma, *1*, 34–39
case reports, *1*, 36–39
comment, *1*, 39
Mastoid, obliteration of, *3*, 254
Mastoidectomy, *4*, 317
Mastoiditis, chronic serous, *6*, 469
Maximal stimulation test, *1*, 5
Medicolegal otology, *2*, 156–158
stapedectomy, left ear, *3*, 245–247
Meige's syndrome misdiagnosed, *3*, 206–210
case report, *3*, 206–208
conclusion, *3*, 209–210
dystonia syndromes, *3*, 208–209
etiology of, *3*, 209
treatment of, *3*, 209
Membrane rupture, sudden hearing loss from, *6*, 484–487

Meniere's disease, *2*, 137–155
allergic, *4*, 315; *6*, 556–557
diagnostic procedures, *2*, 144–147
etiology, *2*, 143–144
fluctuant hearing loss in, *6*, 529–533
glycerol test and, *1*, 16–19
incidence of, *2*, 137–138
medical management, *2*, 147–148
pathophysiology, *2*, 138–143; *6*, 526–527
placebo effect in surgery for, *6*, 558–561
surgical procedures, *2*, 148–150; *6*, 562–563
temporal bone characteristics of, *6*, 529–530
therapy for, *6*, 564–565
titration streptomycin therapy for bilateral, *6*, 534–535
vestibular nerve section for, *6*, 543–545
Meniere's disease, medical and surgical management of, *6*, 536–542
complications, *6*, 540
discussion, *6*, 540–541
etiology, *6*, 536–537
materials and methods, *6*, 538–539
medical therapy, *6*, 537
Otology Group approach, *6*, 538
results, *6*, 539–540
surgical therapy, *6*, 537–538
Meningioma, *4*, 315
Meningitis, *4*, 320, 322
Metabolic investigations, Meniere's disease and, *2*, 146–147
Micrognathia, *5*, 387–391
Middle ear
cholesteatoma of, *5*, 368–373
inflation, OME management by, *3*, 248–250
ossicular anomalies, *5*, 387–391
radiation induced carcinoma of, *1*, 8–10
tissue response to Plasti-Pore and Proplast otologic implants in, *2*, 127–136
Toynbee phenomenon and disease of, *4*, 291–294
Middle ear effusion, *4*, 286–290. *See also* Otitis media effusion (OME)
conclusions, *4*, 289
etiologic factors, *4*, 286–288
pathogenesis, *4*, 288–289
Middle fossa approach to acoustic tumors, *3*, 236
Middle fossa vestibular nerve sections, *6*, 539
Middle latency responses, *3*, 234
MRI of posterior cranial fossa, *6*, 436–437
Muscle tenderness, *3*, 189
Myofascial pain-dysfunction syndrome (MPD), *3*, 183

Neonatal intensive care unit population, hearing loss in, *3*, 201–205
Nerve excitability test, *1*, 2–6
Neural tissue, *2*, 141–142
Neurectomy, retrolabyrinthine vestibular, *6*, 552–555
complications, *6*, 554–555
materials and methods, *6*, 552–553
results, *6*, 553–554
Neurectomy, vestibular, *2*, 149
Neuroma, traumatic intratympanic facial, *5*, 365–367
case report, *5*, 365–367
discussion, *5*, 367
editorial comment, *5*, 367
Neuromas, acoustic, *See* Acoustic tumors
Neurotrauma, steroid treatment of, *6*, 501
Noise, *4*, 311
Nystagmus, positional, *2*, 168

OAR, *6*, 441
Office audiology, contemporary, *6*, 438–439
Oral diuretics, *6*, 530
Orofacial dyskinesia, *see* Meige's syndrome misdiagnosed
Osmotic diurectics, *6*, 531–532
Otitis media, acute
facial paralysis and, *6*, 502
recurrent, *6*, 468–469
Otitis media with effusion (OME), *1*, 63–69
allergy-related, *6*, 463–467
case reports, *1*, 65
etiology of, *1*, 63–65
IgE mediated hypersensitivity and, *1*, 66–69
management of, *3*, 248–252; *5*, 344–349; *6*, 463–467
total white cell count, *5*, 382–386
Otitis media with effusion (OME), epidemiology and natural history of, *6*, 459–462
discussion, *6*, 461
materials and methods, *6*, 459
results, *6*, 459–451
summary, *6*, 462
Otology, history
Astley Cooper, *5*, 411–414
tympanic membrane photography, *4*, 324–332
Otorrhea, *4*, 319–320, 322; *5*, 347–348; *6*, 469–470
Otosclerosis, CT densitometry of cochlear capsules in, *6*, 434–436
Otospongiosis as genetic disease, *3*, 211–223
physiopathologic conditions in otosclerosis, *3*, 211–217
prevention, two necessities for, *3*, 217–221
technique for, *5*, 392–396
Oxygen, perilymphatic, *6*, 482–483, 488–490

Paget's disease, *3*, 214
Pediatric otology, *1*, 62–69
serous otitis, *1*, 63–65
tympanostomy tubes, controversy over use of, *3*, 248–252
Pendred's syndrome, *3*, 255
Pneumolabyrinth, fracture of stapes footplate and, *5*, 374–375
Perforation, persistent, *6*, 470
Perilymph, electrolyte concentrations of, *6*, 526
Perilymphatic fistula (PLF), *1*, 55; *4*, 338; *5*, 415
closing of, *1*, 61
demonstration of, *2*, 124
discussion, *2*, 111–112
early medical care of, *1*, 78
method, *2*, 109
results, *2*, 109–111
surgical care of, *1*, 78
treatment of, *2*, 168
Perilymphatic oxygen, *6*, 488–490
Perilymphatic oxygen tensions, measuring, *6*, 482–483
Perioxidase, horseradish, *2*, 120
Petrous apex, cholesterol granuloma of, *3*, 253–254
Photography, tympanic membrane, *4*, 324–332
Kowa camera, *4*, 329
microscopic, *4*, 327–328
telescopic photography, *4*, 329–331
Piezoelectric ceramic bimorph element (PCBE) application to cochlear implant, *4*, 273–276
conclusions, *4*, 276
problems inherent in implantation of microphones, *4*, 274
use for vibration pickup from tympanic membrane, *4*, 275–276
Plasti-Pore, tissue response to, *1*, 40–43; *2*, 127–136
discussion, *2*, 134–135
editorial comment, *2*, 135
materials and methods, *2*, 128–129
results, *2*, 129–134
PLF, *see* Perilymphatic fistula
Pneumocephalus, *4*, 320–321, 322
Polyethylene, high density, *see* Plasti-Pore
Polymeric silicone, tissue reaction to, *1*, 40–43
Polyneuritis, autoimmune, *6*, 501
Polyneuritis, cranial, *see* Bell's palsy
Polytetrafluoroethylene-carbon fiber composite, *see* Proplast, closure of dural defects with; Proplast, tissue response to; Proplast otologic implants, middle ear tissue reaction to
Polytetrafluorethylene (teflon), tissue reaction to, *1*, 40–43
Polytomography, *2*, 147
Pore analysis, scanning electron microscopy (SEM) and, *2*, 129–130
Positional nystagmus, *2*, 168
Positron emission tomography (PET) scan, *5*, 398
Potassium perfusion experiments, *6*, 526
Pregnancy, Bell's palsy surgery and, *2*, 164
Presbycusis, *4*, 300, 307, 311
Pressure chamber treatment of fluctuant hearing loss, *6*, 532
Proplast, closure of dural defects with, *3*, 179–182
methods, *3*, 180
results, *3*, 180–181
Proplast, tissue reaction to, *2*, 127–136
discussion, *2*, 134–135
editorial comment, *2*, 135
materials and methods, *2*, 128–129
results, *2*, 129–134
Prosthetic materials, tissue reaction to, in human temporal bones, *1*, 40–43
discussion, *1*, 43
literature review, *1*, 40
materials and methods, *1*, 40–41
results, *1*, 41–43

Radiation, *1*, 56
Radioallergosorbent test (RAST), *6*, 450–451
Reflex, vestibulo-ocular, *6*, 441
Reflex testing, acoustic, *3*, 324
Relaxation-biofeedback in tinnitus treatment, *5*, 376–381
Residency review
Duke University Otolaryngology training program, *5*, 418–420
Medical University of South Carolina Otolaryngology training program, *2*, 161–162

University of Miami Otolaryngology residency program, *3*, 256–258
University of Utah Otolaryngology training program—head and neck surgery, *4*, 333–334
University of Washington Otolaryngology—head and neck surgery program, *1*, 79–81
Residency within academic otolaryngology department, *3*, 229–232
present conditions in academic programs and private practice, *3*, 229–230
staffing dilemmas, *3*, 231–232
training requirements, *3*, 230–231
Retrolabyrinthine vestibular nerve section, *6*, 549–551
discussion, *6*, 550
materials and methods, *6*, 549
results, *6*, 549–550
Rotary diversified diet therapy, *6*, 453
Rotation vestibular testing, *6*, 441–442
Rupture, labyrinthine membrane, *4*, 308–310
Rupture, round and oval window, *3*, 244, 255. *See also* Perilymphatic fistulas

Sac procedures, *6*, 538, 539
Scanning electron microscopy (SEM), pore analysis and, *2*, 129–130
Secretory otitis, *see* Otitis media with effusion (OME)
Sensorineural acuity level (SAL) test, *1*, 34–49
Sensorineural hearing loss, *see* Hearing loss, sensorineural
Serial dilution provocative food testing, *6*, 452
Serial electroneurograms, *6*, 494–498
Serous otitis, *see* Otitis media with effusion (OME)
Shunt, cochlear endolymphatic, *6*, 538, 546–548
Silastic (polymeric silicone), tissue reaction to, *1*, 40–43
Sodium fluoride treatment of otospongiotic disease, *3*, 218–221
Spasm, hemifacial, *6*, 514–515
diagnosis, *6*, 514
results, *6*, 515
surgical treatment, *6*, 514–515
Spasm, secondary hemifacial, Meige's syndrome misdiagnosed as, *3*, 206–210
case report, *3*, 206–208
dystonia syndromes, *3*, 208–209
etiology of, *3*, 209
treatment of, *3*, 209
Speech reading, value of, *2*, 160
Speech reception, degree of hearing loss and alteration of, *3*, 244
Stapedectomy, left ear, *3*, 245–247
Stapedotomy, *5*, 392–396
Stapes footplate fracture, pneumolabyrinth resulting from, *5*, 374–375
Statoconial membrane, *1*, 48
Stereotactic X-ray therapy, *3*, 237
Steroid treatment of neurotrauma, *6*, 501
Stone Age diet, *6*, 452
Subclavian artery steal syndrome, *5*, 399
Suboccipital approach to acoustic tumors, *2*, 89; *3*, 236
Sudden hearing loss, *6*, 407
circulatory disorder in, *6*, 488–491
from membrane rupture, *6*, 484–487
tinnitus and, *6*, 492–493
treatment of, *6*, 481–483
unilateral sensorineural, *1*, 61
Summating potential as indicator of endolymphatic hydrops, *6*, 443–446
methods, *6*, 443
results, *6*, 443–445
summary, *6*, 445–446
Swallowing, abnormal, *3*, 189–190
Sympathectomy, *2*, 149
Syphilis, congenital, *3*, 178

Team approach to acoustic tumor surgery, *2*, 104
Teflon, tissue reaction to, *1*, 40–43
Telephones, cordless, *5*, 416–417
Telescopic photography, *4*, 329–331
Temporal bone
banks and laboratories in United States, *6*, 431–433
carcinomas of, *1*, 56–61
fluctuant hearing loss in Meniere's disease and characteristic of, *6*, 529–530
Temporal bones, human, tissue reaction to prosthetic materials in, *1*, 40–43
discussion, *1*, 43
literature review, *1*, 40
materials and methods, *1*, 40–41
results, *1*, 41–43
Temporomandibular joint (TMJ) syndrome, physical therapy treatment results, *3*, 183–196
anatomy, *3*, 185–186
definitions, *3*, 183
diagnosis, *3*, 187–188
embryology, *3*, 186
pathology, *3*, 187
patient review, *3*, 192–194
physiology, *3*, 184–185
psychophysiologic theory, *3*, 186–187
radiology, *3*, 188
symptoms, *3*, 188–190
treatment, *3*, 190–192
Tinnitus
acoustic tumor removal and worsening of, *6*, 415–416
artery in apical region of cochlea and, *3*, 262
as first symptom in acoustic tumor, *1*, 61
masking of, with residual inhibition, *2*, 155
sudden hearing loss and, *6*, 492–493
surgical therapy, *6*, 479–480
Tinnitus, low-tone pulsatile, *3*, 262
Tinnitus, medical treatment of, *6*, 472–478
large dose therapy, *6*, 476
pathologic physiology, *6*, 477–478
Tinnitus treatment, relaxation-biofeedback in, *5*, 376–381
discussion, *5*, 380
materials and methods, *5*, 377–379
results, *5*, 379–380
Tissue reaction to prosthetic materials in human temporal bones, *1*, 40–43
discussion, *1*, 48–52
literature review, *1*, 40
materials and methods, *1*, 40–41
results, *1*, 4–43
Titration streptomycin therapy for bilateral Meniere's disease, *6*, 534–535
discussion, *6*, 534–535
patient population, *6*, 534
treatment regimen, *6*, 534
Tone decay tests, *1*, 76–78
Toynbee phenomenon and disease of middle ear, *4*, 291–294
discussion, *4*, 292–293
materials and methods, *3*, 291–292
results, *4*, 292
Transdermal stimulation on tinnitus, *6*, 474
Translabyrinthine approach to acoustic tumors, *2*, 89, 93–95; *3*, 236
Transmastoid labyrinthectomy for management of vertigo, *4*, 295–299
discussion, *4*, 298–299
indications and preoperative assessment, *4*, 296
postoperative course, *4*, 297
results, *4*, 297–298
surgical technique, *4*, 296–297
Transmastoid surgical decompression of facial nerve, *6*, 503–512
diagnostic exploration, *6*, 504–511
discussion, *6*, 511
materials and methods, *6*, 503–504
results of prognostic tests and therapy, *6*, 504
surgical rehabilitation, *6*, 511
Trauma, *see* Neurotrauma
Trismus, *3*, 189
Trypsin-alpha$_1$-antitrypsin equilibrium, *3*, 215–216
Tumor, canalicular, surgical approaches to, *1*, 71
Tumor, metastatic glomus jugulare, *3*, 197–200
case report, *3*, 197–198
discussion, *3*, 200
histopathology, *3*, 198–199
Tumors, acoustic, *see* Acoustic tumor management; Acoustic tumors; Acoustic tumors in developing countries
Tympanic membrane cholesteatoma, *3*, 175–178
case reports, *3*, 175–176
discussion, *3*, 176–177
Tympanic membrane photography, *4*, 324–332
Kowa camera, *4*, 329
microscopic, *4*, 327–328
telescopic photography, *4*, 329–331
Tympanoplasties, *2*, 124
Tympanoplasty, closed, cholesteatoma removal by, *4*, 277–282
conclusions, *4*, 281–282
materials and methods, *4*, 278
results, *4*, 278–279
Tympanosclerosis, *6*, 470
Tympanostomy tubes
controversy over use of, *3*, 248–252
OME management by, *3*, 250–252; *5*, 346–347

Ultrasonic irradiation, *2*, 149–150
University of Miami Otolaryngology residency program, *3*, 256–258
University of Utah Otolaryngology training program—head and neck surgery, *4*, 333–334
University of Washington Otolaryngology—head and neck surgery program, *1*, 79–81
Utricle, stimulation of, *3*, 255

Van der Hoeve's syndrome, *3*, 214
Vascular loop, *6*, 434
Vasodilator treatment of fluctuant hearing loss in Meniere's disease, *6*, 532
Ventilation tubes, indications and complications, *6*, 468–471

cholesteatoma, *6*, 470
discussion, *6*, 470–471
indications, *6*, 468–469
otorrhea, *6*, 469–470
patient management, *6*, 468
persistent perforation, *6*, 470
tympanosclerosis, *6*, 470
Vertebral artery bypass surgery, *5*, 402
Vertigo, *2*, 159–160
central, management of, *5*, 416
poststapedectomy, management of, *3*, 254
transmastoid labyrinthectomy for management of, *4*, 295–299
Vestibular aqueduct, *2*, 140–141
Vestibular nerve section, *6*, 539
Vestibular nerve section, retrolabyrinthine, *6*, 549–551
Vestibular nerve section for Meniere's disease, *6*, 543–545
results, *6*, 545
transtemporal supralabyrinthine approach, *6*, 543–545
Vestibular neurectomy, *2*, 149
Vestibular organs, human, *1*, 11–15
case reports, *1*, 11–14
discussion, *1*, 15
electron microscopy scanning of, *1*, 11–15
materials and methods, *1*, 11
Vestibular system, measurement of, *2*, 145–146
Vestibular testing in diagnosis of acoustic tumors, *3*, 234–235
Vestibulocochlear nerve, *1*, 20–33
audiometric findings in three patient categories, *1*, 25–29
current investigations, *1*, 21–22
discussion, *1*, 29–32
materials, *1*, 22–25
previous investigations, *1*, 21
results, *1*, 22–25
Vestibulo-ocular reflex (OAR), *6*, 441
Von Recklinghausen's disease, *1*, 71; *2*, 160; *3*, 238

Waartenburg's syndrome, *3*, 178
White cell count of OME, *5*, 382–386
discussion, *5*, 385–386
materials and methods, *5*, 383
results, *5*, 383
Xenon studies, *5*, 398
X-linked inheritance, *3*, 212
Xyclocaine, *6*, 476

AUTHOR INDEX

Adour, K.K., 499
Aldskogius, H., 120
Araki, H., 273
Arena, S., 56
Armstrong, B.W., 250
Armstrong, R.B., 250
Arvidsson, J., 120

Babin, R.W., 365
Bahgat, M.A., 40
Barrs, D.M., 269
Belal, A., Jr., 360
Bellott, A.L., Jr., 87
Berko, D.R., 438
Berliner, K.I., 520
Bernstein, J.M., 66
Black, J.N., Jr., 536
Blumenthal, F., 1
Bodo, G., 16
Boyles, J.H., Jr., 450
Brackmann, D.E., 233, 269
Bretlau, P., 558
Brookes, G.B., 350
Brookler, K.H., 438

Carmen, R., 376
Causse, J.B., 211, 392
Causse, J.R., 211, 392
Chaplin, R.G., 34
Clark, R.P., 179
Clark, W.C., 87
Coats, A.C., 443
Collard, M.E., 355
Conboy, K., 66
Cook, P.R., 73
Cooper, A., 411

Daugherty, H.S., 283
Dennis, J.M., 201
Dickens, J.R.E., 137
Dobben, G.D., 397

El Fiky, F.M., 197
Ellis, E., 66

Fairchild, T.H., 283
Farkashidy, J., 300
Farmer, J.C., Jr., 418
Feder, T., 438
Fisch, U., 488, 494, 543

Galic, M., 224
Gardner, G., 87
Gay, I., 8
Glasscock, M.E., III, 536
Gottlieb, J.S., 206
Gottschalk, G.H., 248
Gradenigo, G., 76
Graham, M.D., 11, 125, 175, 229, 295, 350, 387, 513, 524, 534
Graham, S.S., 137
Gulya, A.J., 536
Gyo, K., 273

Hall, L.J., 183
Halvey, A., 109
Hamm, C.W., 87
Harada, Y., 11
Harker, L.A., 365
Harris, I., 484
Hashem, N., 360
Herzon, F.S., 407
Hetzler, D.G., 499
Heumann, H., 224
Hitselberger, W.E., 269
Holmquist, J., 291
House, J.W., 472
House, W.F., 11, 520
Hyman, S.M., 552

Issa, T.K., 40

Jackson, R.T., 127
Jemmi, G., 277
Jenkins, H.A., 443
Johnsen, N.J., 558
Jörgensen, F., 291

Kavanaugh, K.T., 365
Keith, R.W., 76
Kemink, J.L., 125, 175, 295, 387, 534, 549
Klein, S.R., 1, 503
Kumar, A., 374

Lee, J., 66
Li, P., 66
Linthicum, F.H., Jr., 40
Luxford, W.M., 468

Mafee, M.F., 374
Man, A., 308
Marcus, R.E., 374
May, M., 1, 163, 206, 503
McCabe, B.F., 447
McCaffee, M.A., 201
McClatchey, K.D., 125
McCormick, K.J., 447
Miehlke, A., 516
Mitchell, D.P., 300
Miyamoto, R.T., 34, 113, 283
Monroe, B., 443
Monsell, E.W., 407
Moore, G.F., 317

Nagahara, K., 488
Nelson, R.A., 175
Nissen, A.J., 317
Norrell, H., 552

Osguthorpe, J.D., 161
Ostfeld, E., 382

Paparella, M.M., 197, 315
Pappas, D.G., 339
Parker, W., 355
Parkin, J.L., 333

Pensak, M.L., 324, 536
Per-Lee, J.H., 127
Pohl, D., 224
Pollak, A., 488
Pulec, J.L., 479, 514, 564

Rahman, N.A., 360
Rapp, D.J., 463
Renner, G., 73
Rivera-Pomar, J.M., 44
Robertson, J.H., 87, 179
Rose, R.M., 156, 245
Rosevear, W.H., 113
Rozsa, L., 16
Rubin, W., 441, 492

Sadé, J., 109
Sánchez-Fernández, J.M., 44
Sanna, M., 277, 368
Scandellari, R., 277
Schaibly, M., 339
Schuknecht, H.F., 431, 526, 528, 546
Schweitzer, V.G., 387
Segal, S., 308
Shambaugh, G.E., Jr., 63, 556
Shea, J.J., 16, 179, 456, 476
Sheehy, J.L., 227, 468
Sheldon, R., 201
Shemen, L.J., 300
Sherman, J., 8
Silverstein, H., 552
Smyth, G.D.L., 286, 344, 562
Spector, M., 127
Stahle, J., 529
Steinbach, E., 224
Stennert, E., 516
Svihovec, D., 376

Taylor, F.H., 503
Teichgraeber, J.F., 127
Terkildsen, K., 20
Thomander, L., 120
Thomsen, J., 20, 558
Tomoda, K., 179
Tos, M., 20, 459, 558
Toubas, P., 201

Valvassori, G.E., 314, 397, 434

Wazen, J., 552
Weshler, Z., 8
Wiesel, J.M., 8
Wilson, W.R., 481
Winerman, I., 308

Yanagihara, N., 273
Yanagisawa, E., 324
Yannias, D.A., 374
Yonkers, A.J., 317
Yune, H.Y., 113

Zini, C., 277, 368